


Seeing is believing!





People often need to see something before they believe it

GC Tri Plaque ID Gel can not only **differentiate between old and new plaque** in a few easy steps, this unique gel can also highlight exactly where the bacteria are most active by disclosing the acidic pH. This additional information will be a great help in your daily practise to motivate your patients to improve their oral hygiene.

Tri Plaque ID Gel =









When a plaque biofilm is sparse, the blue pigment is easily washed off which leaves behind the red pigment showing a



OLD PLAQUE (> 48HR)

When a plaque biofilm has matured, its structure is dense, so both the blue and red pigments are trapped which forms a blue / purple layer.






EXTRA HIGH RISK PLACUE

The sucrose in GC Tri Plaque ID Gel will be metabolized by the acidogenic bacteria within the high risk plaque

The resulting acid produced lowers the plaque pH (<pH4,5) and this makes the red pigment disappear which leaves the light blue colour.



EXTRA HIGH RISK PLAQUE

Three tones, three easy steps to ensure patient compliance

Apply the gel with a swab, micro brush or a cotton pellet

Gently rinse the area with water spray and suction.

Plaque is revealed on teeth in three tones:

- blue/purple old plaque (more than 48 hours)
- red/pink newly formed plaque
 - light blue high risk plaque

Package

004273 40 g Tube (36mL)



After diagnosis, simply brush the teeth to remove the disclosing gel.



In the pursuit of preventive dentistry you and your patients need as many tools as possible in order to achieve optimal oral health. GC Tri Plaque ID Gel can become an invaluable part of your daily diagnosis routine.

GC EUROPE N.V.

Researchpark Haasrode-Leuven 1240 Interleuvenlaan 33, B-3001 Leuven Tel. +32.16.74.10.00 Fax. +32.16.40.48.32 info@gceurope.com http://www.gceurope.com

GC UNITED KINGDOM Ltd.

12-15, Coopers Court, Newport Pagnell UK - Bucks. MK16 8JS Fax. +44.1908.218.900 info@uk.gceurope.com http://uk.gceurope.com



z O LF EN 12 22 11/11